EAST Search History

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
S1	2	"20060091732".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/19 16:12
S2	4	((YOSHINORI) near2 (ONISHI)).INV.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 09:34
S3	2330	310/12.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 10:25
S4	70	S3 and coreless	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 10:25
S6	2	"20040032170".pn.	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/27 10:54
S7	416	"310".clas. and coreless and (winding or wiring)	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/27 11:23
S8	105	S7 and linear	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/27 11:24
S9	32	("3077548" "3906267" "3988024" "4009406" "4072881").PN. OR ("4551645").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 11:30
S10	30	("310".clas. or "318". clas.) and linear near motor\$3 and ground near terminal	US-PGPUB; USPAT; USOCR; FPRS; EPO; JPO; DERWENT; IBM_TDB	ADJ	OFF	2008/05/27 14:10
S11	55	310/12,14.ccls. and o ring	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 14:20

S12	409	310/12,14.ccls. and terminal	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 14:32
S14	2212	310/12.cds.	US-PGPUB; USPAT	ADJ	OFF	2008/05/27 14:35
S15	387	S14 and recess\$3	US-PGPUB; USPAT	ADJ	OFF	2008/05/27 14:35
S16	221	310/12,14.ccls. and stainless near steel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 16:02
S17	45	310/12,14.ccls. and cooling near2 pipe\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 16:22
S18	2330	310/12.ccls.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 16:51
S19	249	S18 and flange\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 16:51
S20	628	S18 and cover	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 17:03
S21	14	koyanagawa.inv.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 17:41
S22	1	("6590355").PN. OR ("6806594").URPN.	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/27 17:42
S23	777	"310".clas. and o near ring and cover\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 10:27
S24	232	"310".clas. and o near ring and cover\$3 and recess	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 10:28
S25	45	310/12,14.ccls. and cooling near2 pipe\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 12:03
S26	1	S25 and diameter\$3 near "4"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 12:03
S27	1	"310".clas. and cooling near2 pipe\$3 near diameter\$3 near "4"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 12:09
S28	1	"310".clas. and cooling near2 pipe\$3 near diameter\$3 near "4"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 12:10
S29	5	"310".clas. and cooling near2 pipe\$3 near diameter\$3	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 12:10
S30	1	"2002218730"	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/05/28 12:21
S31	31	((YOSHINORI) near2 (ONISHI)).INV.	JPO; DERWENT	ADJ	OFF	2008/05/28 12:25
S33	111	"310".clas. and austenitic near stainless near steel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 10:03

S34	221	310/12,14.ccls. and stainless near steel	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 10:04
S36	265		US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 10:12
S40	6	310/12,14.ccls. and (stainless or steel) near SUS	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 10:29
S42	169	"310".clas. and (stainless or steel) and sus and motor	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 10:33
S44	130	("29".clas.) and (stainless or steel) and sus and motor	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 10:42
S54	86	(stainless or steel) and sus near2 ("202" or "202" or "200") and motor	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 11:12
S55	73	(stainless or steel) and sus near1 ("202" or "202" or "200") and (motor or acuator)	US-PGPUB; USPAT; USOCR	ADJ	OFF	2008/06/03 11:16

6/3/2008 1:16:24 PM C:\ Documents and Settings\ jkim3\ My Documents\ EAST\ Workspaces\ motor-11 \ 10535695.wsp